



NOTE:

WALL STANDARDS AND ADJUSTABLE BRACKETS SHALL, AT A MINIMUM, BE CONSTRUCTED OF 12 GA STEEL OR 14 GA TYPE 304 STAINLESS STEEL. STANDARDS SHALL MEASURE 7/8" WIDE X 11/16" DEEP. SYSTEM SHALL BE RATED BY MANUFACTURER AS HEAVY DUTY SUITABLE FOR LIGHT INDUSTRIAL, COMMERCIAL AND RETAIL APPLICATIONS, WITH A WEIGHT CARRYING CAPACITY OF UP TO 1,000 LBS PER PAIR WHEN STANDARDS ARE INSTALLED PER MANUFACTURER'S INSTRUCTIONS. STANDARD IS BASED ON THE USE OF KV (KNAPE AND VOGT) 87 SERIES STANDARD AND 186/187 SERIES BRACKET SYSTEM. BRACKETS AND STANDARDS BY OTHER MANUFACTURERS MEETING THE CONSTRUCTION AND LOAD BEARING CRITERIA SHALL BE ACCEPTABLE.

[NOTE TO AE : LIST AT LEAST ONE ADDITIONAL APPROVED MANUFACTURER IN THE CONTRACT DOCUMENTS.]

CUSTODIAL ROOM - SHELVING INSTALLATION

Date: June 15, 2013

Dwg. No.: 10 57 23-2